

Price list H.T.

All Indoor Saunas at a Glance.

Type	Plan	Perspective	Price (Euro)
<p>C 2</p> <p>wall thickness: 45 mm</p> <p>external dimensions: width: 204 cm depth: 159 cm height: 212 cm</p> <p>stove: SK 5 (4.9 kW)</p> <p>voltage: 400 V</p> <p>fuse: 3 x 16 amp</p> <p>supply: 5 x 2.5 mm²</p> <p>accommodates: 1 person lying or 3 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 6.480 excl. V.A.T.</p>
<p>C 2 "Variant"</p> <p>wall thickness: 45 mm</p> <p>external dimensions: width: 204 cm depth: 159 cm height: 212 cm</p> <p>stove: SK 5 (4.9 kW)</p> <p>voltage: 400 V</p> <p>fuse: 3 x 16 amp</p> <p>supply: 5 x 2.5 mm²</p> <p>accommodates: 1 person lying or 3 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 6.600 excl. V.A.T.</p>
<p>D 2</p> <p>wall thickness: 45 mm</p> <p>external dimensions: width: 159 cm depth: 204 cm height: 212 cm</p> <p>stove: SK 5 (4.9 kW)</p> <p>voltage: 400 V</p> <p>fuse: 3 x 16 amp</p> <p>supply: 5 x 2.5 mm²</p> <p>accommodates: 1 person lying or 3 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 6.480 excl. V.A.T.</p>
<p>M 2</p> <p>wall thickness: 45 mm</p> <p>external dimensions: width: 219 cm depth: 189 cm height: 212 cm</p> <p>stove: SK 7 (6.6 kW)</p> <p>voltage: 400 V</p> <p>fuse: 3 x 16 amp</p> <p>supply: 5 x 2.5 mm²</p> <p>accommodates: 2 persons lying or 4 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 6.930 excl. V.A.T.</p>



All Indoor Saunas at a Glance.

Type	Plan	Perspective	Price (Euro)
<p>M 2 "Variant"</p> <p>wall thickness: 45 mm external dimensions: width: 219 cm depth: 189 cm height: 212 cm</p> <p>stove: SK 7 (6.6 kW) voltage: 400 V fuse: 3 x 16 amp supply: 5 x 2.5 mm² accommodates: 2 persons lying or 4 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 7.070 excl. VAT.</p>
<p>E 2</p> <p>wall thickness: 45 mm external dimensions: width: 204 cm depth: 204 cm height: 212 cm</p> <p>stove: SK 7 (6.6 kW) voltage: 400 V fuse: 3 x 16 amp supply: 5 x 2.5 mm² accommodates: 2 persons lying or 4 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 6.940 excl. VAT.</p>
<p>S 2</p> <p>wall thickness: 45 mm external dimensions: width: 204 cm depth: 204 cm height: 212 cm</p> <p>stove: SK 7 (6.6 kW) voltage: 400 V fuse: 3 x 16 amp supply: 5 x 2.5 mm² accommodates: 2 persons lying or 4 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 7.070 excl. VAT.</p>
<p>S 2 "Corner Type"</p> <p>wall thickness: 45 mm external dimensions: width: 204 cm depth: 204 cm height: 212 cm</p> <p>stove: SK 7 (6.6 kW) voltage: 400 V fuse: 3 x 16 amp supply: 5 x 2.5 mm² accommodates: 2 persons lying or 4 persons sitting</p>			<p>Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.</p> <p>€ 7.520 excl. VAT.</p>



Type



Plan

Perspective

Price (Euro)

F 2

wall thickness: 45 mm
external dimensions: width: 234 cm
depth: 204 cm
height: 212 cm
stove: SK 8 (8.3 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²
accommodates: 3 persons lying
or 5 persons sitting





Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 7.700

excl. V.A.T.

F 2 "Corner Type"

wall thickness: 45 mm
external dimensions: width: 234 cm
depth: 204 cm
height: 212 cm
stove: SK 8 (8.3 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²
accommodates: 3 persons lying
or 4 persons sitting





Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 8.140

excl. V.A.T.

F 2 "Variant"

wall thickness: 45 mm
external dimensions: width: 204 cm
depth: 234 cm
height: 212 cm
stove: SK 8 (8.3 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²
accommodates: 3 persons lying
or 5 persons sitting





Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 7.700

excl. V.A.T.

T 2 "Corner Type"

wall thickness: 45 mm
external dimensions: width: 219 cm
depth: 219 cm
height: 212 cm
stove: SK 8 (8.3kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²
accommodates: 3 persons lying
or 4 persons sitting



Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 8.140

excl. V.A.T.



All Indoor Saunas at a Glance.

Type



Plan

Perspective

Price (Euro)

G 2

wall thickness: 45 mm
 external dimensions: width: 234 cm
 depth: 234 cm
 height: 212 cm
 SK 10 (9 kW)
 stove: 400 V
 voltage: 3 x 20 amp
 fuse: 5 x 2.5 mm²
 supply: 3 persons lying
 accommodates: or 6 persons sitting





Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 8.060
 excl. V.A.T.

G 2 "Corner Type"

wall thickness: 45 mm
 external dimensions: width: 234 cm
 depth: 234 cm
 height: 212 cm
 SK 10 (9 kW)
 stove: 400 V
 voltage: 3 x 20 amp
 fuse: 5 x 2.5 mm²
 supply: 3 persons lying
 accommodates: or 5 persons sitting





Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 8.550
 excl. V.A.T.

H 2

wall thickness: 45 mm
 external dimensions: width: 264 cm
 depth: 204 cm
 height: 212 cm
 SK 10 (9 kW)
 stove: 400 V
 voltage: 3 x 20 amp
 fuse: 5 x 2.5 mm²
 supply: 2 persons lying
 accommodates: or 6 persons sitting





Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 7.990
 excl. V.A.T.

J 2

wall thickness: 45 mm
 external dimensions: width: 264 cm
 depth: 204 cm
 height: 212 cm
 SK 10 (9 kW)
 stove: 400 V
 voltage: 3 x 20 amp
 fuse: 5 x 2.5 mm²
 supply: 3 persons lying
 accommodates: or 6 persons sitting



Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 8.030
 excl. V.A.T.



Type



Plan

Perspective

Price (Euro)

K 2

wall thickness: 45 mm
external dimensions: width: 264 cm
depth: 234 cm
height: 212 cm
stove: SK 10 (9 kW)
voltage: 400 V
fuse: 3 x 20 amp
supply: 5 x 2.5 mm²
accommodates: 3 persons lying
or 7 persons sitting





Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 8.400
excl. V.A.T.

R 2 "Corner Type"

wall thickness: 45 mm
external dimensions: width: 264 cm
depth: 264 cm
height: 212 cm
stove: SK 10 (9 kW)
voltage: 400 V
fuse: 3 x 20 amp
supply: 5 x 2.5 mm²
accommodates: 3 persons lying
or 7 persons sitting



Complete sauna with veto-electric sauna stove, electronic operating mechanism, sauna lamp, Hygrotherm, "Löyly"-vat, "Löyly"-ladle and Headrest.

€ 9.080
excl. V.A.T.

Design Packages

Our high-grade design packages contain many refinements which are optically tuned to one another. With the metal profiles and the Venetian door blinds you can choose between four different colours. You will find a photographic presentation of the design packages on pages 18/19 and 24/25 of our Sauna Magazine.

Metal Profiles

- white aluminium
- brass, unpolished (cool)
- anthracite grey (RAL 7016)
- cobalt blue (RAL 5013)

Protecting End Crip


- beech, red damped

Design Door and Frame

- external frame, beech red damped
- Venetian blind, adjustable, colour to match to the metal profiles

Corner Lamp

- handmade, natural spruce



Additional price for all four-sided corner-style saunas included in this price list:

€ 1.720
excl. V.A.T.

Additional price for all five-sided corner-style saunas included in this price list:

€ 1.980
excl. V.A.T.



Type



Plan

Perspective

Price (Euro)

S 3

wall thickness: 70 mm
height: 260 cm
built-up ground area: 3.8 m²
effective area: 3.2 m²
stove: SK 7 (6.6 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²




Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 9.220
excl. V.A.T.

F 3

wall thickness: 70 mm
height: 260 cm
built-up ground area: 4.4 m²
effective area: 3.8 m²
stove: SK 8 (8.3 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²




Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 10.080
excl. V.A.T.

G 3

wall thickness: 70 mm
height: 260 cm
built-up ground area: 5.1 m²
effective area: 4.4 m²
stove: SK 10 (9 kW)
voltage: 400 V
fuse: 3 x 20 amp
supply: 5 x 2.5 mm²




Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 10.600
excl. V.A.T.

Kombi 1

wall thickness: 70 mm
height: 250 cm
built-up ground area: 8 m²
effective area: 7.1 m²
stove: SK 8 (8.3 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²



Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 14.050
excl. V.A.T.



Type


Plan

Perspective

Price (Euro)

Kombi 2

wall thickness: 70 mm
height: 250 cm
built-up ground area: 15.7 m²
effective area: 11.2 m²
terrace: 3.6 m²
stove: SK 8 (8.3 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²





Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 19.130
excl. V.A.T.

Kombi 3

wall thickness: 70 mm
height: 250 cm
built-up ground area: 27.8 m²
effective area: 18.3 m²
terrace: 7.9 m²
stove: SK 8 (8.3 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²




Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 24.820
excl. V.A.T.

RS 5

wall thickness: 70 mm
height: 320 cm
built-up ground area: 10 m²
effective area: 5 m²
terrace: 4 m²
stove: SK 7 (6.6 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²




Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 13.700
excl. V.A.T.

RS 6

wall thickness: 70 mm
height: 320 cm
built-up ground area: 12 m²
effective area: 6.1 m²
terrace: 4.8 m²
stove: SK 7 (6.6 kW)
voltage: 400 V
fuse: 3 x 16 amp
supply: 5 x 2.5 mm²



Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 15.080
excl. V.A.T.



All Garden Saunas at a Glance.

Type



Plan

Perspective

Price (Euro)

RS 9

wall thickness: 70 mm
 height: 320 cm
 built-up ground area: 14.2 m²
 effective area: 8.2 m²
 terrace: 4.8 m²
 stove: SK 8 (8.3 kW)
 voltage: 400 V
 fuse: 3 x 16 amp
 supply: 5 x 2.5 mm²





Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 15.770
 excl. V.A.T.

RS 12

wall thickness: 70 mm
 height: 320 cm
 built-up ground area: 18.9 m²
 effective area: 11 m²
 terrace: 6.5 m²
 stove: SK 10 (9 kW)
 voltage: 400 V
 fuse: 3 x 20 amp
 supply: 5 x 2.5 mm²





Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 19.220
 excl. V.A.T.

RS 13

wall thickness: 70 mm
 height: 320 cm
 built-up ground area: 21.2 m²
 effective area: 12.4 m²
 terrace: 7.3 m²
 stove: SK 10 (9 kW)
 voltage: 400 V
 fuse: 3 x 20 amp
 supply: 5 x 2.5 mm²




Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 20.170
 excl. V.A.T.

RS 14

wall thickness: 70 mm
 height: 320 cm
 built-up ground area: 21.8 m²
 effective area: 13.9 m²
 terrace: 6.5 m²
 stove: SK 7 (6.6 kW)
 voltage: 400 V
 fuse: 3 x 16 amp
 supply: 5 x 2.5 mm²



Complete garden sauna with veto-electric sauna stove, electronic operating mechanism and sauna lamp.

€ 21.890
 excl. V.A.T.

